L	Hits	Search Text	DB	Time stamp
Number				
1	4	hash\$3 with least with cost	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/04 09:01
2	1	hash\$3 with ((least with cost) with table)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/04
3	48	path with ((least with cost) with table)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/04 09:03
4	7	(path with ((least with cost) with table)) and @ad<19960815	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/04
5	3	("4656658" "4931941" "5452294").PN.	USPĀT	2004/05/04
6	136	<pre>(remov\$3 or delet\$3 or drop\$4 or discard\$3) with (entr\$3 with table) with ((predetermin\$3 near1 time) or period)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/04
7	19	((remov\$3 or delet\$3 or drop\$4 or discard\$3) with (entr\$3 with table) with ((predetermin\$3 near1 time) or period)) and @ad<19960815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/04
8	4	("4345116" "4669113" "4704724" "4788721").PN.	USPAT	2004/05/04
9	7	("3560663" "3705523" "3906164" "4049906" "4081612" "4345116" "4380063").PN.	USPAT	2004/05/04

L	Hits	Search Text	DB	Time stamp
Number 1	2	(("6256306") or ("5802054")).PN.	USPAT	2004/05/05 13:53
2	2	tag and ((("6256306") or ("5802054")).PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 13:54
3	2	(comput\$3 with tag) and ((("6256306") or ("5802054")).PN.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 14:08
4	13204	(hash\$3 or tag\$4) same ((least with cost) or rout\$3 or path)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 14:09
5	14	(hash\$3 or tag\$4) same ((least with cost) with (rout\$3 or path))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 14:17
6	38	(hash\$3 or tag\$4) same ((least with cost) and (rout\$3 or path))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 14:17
7	24	((hash\$3 or tag\$4) same ((least with cost) and (rout\$3 or path))) not ((hash\$3 or tag\$4) same ((least with cost) with (rout\$3 or path)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05
8	3	hash\$3 with generat\$3 with select\$3 with field with frame	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 14:36
9	111	pseudo with random with tag	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 14:38
10	8	hash\$3 with (pseudo with random with tag)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 14:37
11	19009	(generat\$3 with (hash\$3 or tag\$4))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 14:38
12	194	((generat\$3 with (hash\$3 or tag\$4))) same ((pseudo with random) with (tag\$4 or hash\$3))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/05 14:38
13	224	<pre>generat\$3 same ((pseudo with random) with (tag\$4 or hash\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/05 14:39
14	3	<pre>(select\$3 with (frame with header)) same (generat\$3 same ((pseudo with random) with (tag\$4 or hash\$3)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 14:44

15	6	<pre>(select\$3 with (frame with header)) and (generat\$3 same ((pseudo with random)</pre>	USPAT; US-PGPUB;	2004/05/05 14:42
		with (tag\$4 or hash\$3)))	EPO; JPO; DERWENT;	
16	11	<pre>(frame with header) same ((generat\$3 same ((pseudo with random) with (tag\$4 or hash\$3))) or (((generat\$3 with (hash\$3 or tag\$4))) same ((pseudo with random) with</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/05 14:42
		(tag\$4))) same ((pseudo with random) with (tag\$4 or hash\$3)))	IBM_TDB	